



## GENERAL INFORMATION

A solvent based, multi-purpose cleaner for use in initial and final surface prep. Removes grease, wax, silicone, adhesives, tar, tree sap, insects, dirt and sanding residue. National Rule.



## 1. COMPONENTS

• 155 Surface Cleaner



## 2. MIXING RATIO

• Ready to Use



## 3. POT LIFE @ 77°F (25°C)

• N/A



## 4. CLEAN UP

• N/A



## 5. ADDITIVES

• N/A



## 6. SURFACE PREPARATION

• N/A



## 7. TOPCOATS

• N/A



## 8. TECH NOTES

- 155 Surface Cleaner should not be allowed to dry on the surface. If this occurs, reapply 155 Surface Cleaner using a clean cloth and wipe dry
- For sensitive surfaces use 170 Aqua Clean
- Always replace cap after use
- Not recommended for plastics



## 9. SUBSTRATES

- Unsanded surfaces
- OEM finishes
- Cured sealers
- Sanded surfaces
- Sanded primers



## 10. APPLICATION

- Wash surface with mild detergent and water
- Rinse and dry surface
- Soak clean cloth with 155 Surface Cleaner
- Wipe surface with 155 Surface Cleaner and wipe dry with clean cloth before product dries



## 11. FLASH/DRY TIMES

• N/A



## 12. INFRARED CURE

• N/A



## 13. GUN SET UP

• N/A



## 14. PHYSICAL DATA

FOR USA (6.5 LBS./GAL Compliance):



RTS REGULATORY DATA:	AS IS	
	155	
	LBS./GAL	g/L
Actual VOC	6.5 Max	780 Max
Regulatory VOC (less water and exempt solvents)	6.5 Max	780 Max
Density	6 - 8	720 - 960
	WT%	VOL%
Total Solids Content	0 - 5	0 - 5
Total Volatile Content	95 - 100	95 - 100
Water	0	0
Exempt Compound Content	0 - 5	0 - 5
Coating Category	Surfacer Cleaner	

**NOTE:** US Regulations allow for the use of exempt compounds for VOC calculations.

FOR REST-OF-WORLD (outside US and Canada):

RTS REGULATORY DATA:	AS IS	
	155	
	LBS./GAL	g/L
VOC	6.5 Max	780 Max
Density	6 - 8	720 - 960
	WT%	VOL%
Total Solids Content	0 - 5	0 - 5
Total Volatile Content	95 - 100	95 - 100
Water	0	0
Coating Category	Surfacer Cleaner	

## NOTES

If used as instructed, this product is designed to comply with the US National Volatile Organic Compound (VOC) Emission Standard for Automobile Refinish Coatings. Confirm compliance with state and local air quality rules before use. The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. Valspar assumes no obligation or liability for use of this information. **UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.** Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option.